

**Technical Report # 1204**

**Analyzing the Reliability of the easyCBM Reading**

**Comprehension Measures:**

**Grade 5**

Bitnara Jasmine Park

P. Shawn Irvin

Cheng-Fei Lai

Julie Alonzo

Gerald Tindal

University of Oregon



behavioral research & teaching

Published by

Behavioral Research and Teaching  
University of Oregon • 175 Education  
5262 University of Oregon • Eugene, OR 97403-5262  
Phone: 541-346-3535 • Fax: 541-346-5689  
<http://brt.uoregon.edu>

Note: Funds for this data set used to generate this report come from a federal grant awarded to the UO from Reliability and Validity Evidence for Progress Measures in Reading. U.S. Department of Education, Institute for Education Sciences. R324A100014. June 2010 - June 2014.

Copyright © 2012. Behavioral Research and Teaching. All rights reserved. This publication, or parts thereof, may not be used or reproduced in any manner without written permission.

The University of Oregon is committed to the policy that all persons shall have equal access to its programs, facilities, and employment without regard to race, color, creed, religion, national origin, sex, age, marital status, disability, public assistance status, veteran status, or sexual orientation. This document is available in alternative formats upon request.

## **Abstract**

In this technical report, we present the results of a reliability study of the fifth-grade multiple choice reading comprehension measures available on the easyCBM learning system conducted in the spring of 2011. Analyses include split-half reliability, alternate form reliability, person and item reliability as derived from Rasch analysis, top / bottom reliability, and repeated measures analysis of variance (ANOVA). Results suggest adequate reliability for the fifth grade multiple choice reading comprehension measures.

## **Analyzing the Reliability of the easyCBM Reading Comprehension Measures: Grade 5**

Curriculum-based measures (CBMs) are standardized assessments with a rich history of use for screening students at risk for difficulty in reading as well as for tracking the progress students make in gaining essential skills over the course of a school year (Alonzo, Ketterlin-Geller, & Tindal, 2006). In recent years, the widespread adoption of Response to Intervention (RTI) as a model for instructional delivery and school-wide improvement efforts has resulted in renewed attention being given to CBMs and a greater emphasis being placed on their technical adequacy for a variety of uses. One concern expressed by practitioners and researchers alike is the degree to which the brief, individually-administered fluency-based probes most frequently identified with CBM are appropriate for use with older students. As students move from elementary to secondary school, there is some evidence to suggest that more complex CBMs, designed to measure more challenging constructs, such as reading comprehension and vocabulary in context may be more appropriate (Yovanoff, Duesbery, Alonzo, & Tindal, 2005). In this technical report, we describe a study of the reliability of the easyCBM second-grade multiple choice reading comprehension measures conducted in 2011.

### **Methods**

In this section, we describe the methods used in conducting a study of the split-half and top-bottom reliability, as well as Rasch analyses of grade 5 multiple-choice reading comprehension (MCRC) measures from the easyCBM<sup>®</sup> assessment system.

### **Setting and Participants**

The study was conducted in elementary and middle schools from two Pacific Northwest public school districts in the spring of 2011. *District A* was diverse, and comprised of approximately 8,900 students, of which approximately 56% were White, 11% Hispanic, 15%

Asian-Pacific Islander, 11% Multiracial, 7% Black, and 1% American Indian-Alaskan Native students. About 26% of students were eligible for free or reduced-priced meals. Students in District A outperformed their peers in the state on the statewide reading assessment. On average, more than 79% of students in grades 3-8 tested proficient on the statewide reading test, compared to about 67% for the state. In all, 27 teachers (six in grade 2, four in grade 3, five in grade 4, six in grade 5, and six in grade 6) and 715 students participated in the study from District A.

*District B* was a large and diverse school district, of approximately 14,000 students, with a demographic make-up of approximately 56% White, 15% Hispanic, 11% Asian-Pacific Islander, 11% Multiracial, 6% Black, and 2% American Indian-Alaskan Native students. About 34% of students in the district were eligible for free or reduced-priced meals. In 2010, students from District B slightly outperformed their peers in the state on the statewide reading assessment. On average, a little fewer than 69% of students in grades 3-8 tested proficient on the state reading test, compared to about 67% for the state. Fourth grade showed the largest difference between students scoring proficient for the district and state, 72% compared to 67%, respectively. Six teachers (two in grades 3 and 7, one in grades 4 and 8) and 317 students participated in the study from District B.

Because we wanted to investigate the reliability for the full grade range of easyCBM<sup>®</sup> MCRC tests, we recruited participants from grades 2-8, with a goal of recruiting six teachers, with a corresponding six classes of students, from each of these seven grades. We successfully recruited six teachers for grades 2-6. Two teachers were recruited for grade 7 (seven total classes of students), and one for grade 8 (three total classes). The average class size across all grades was 27 students. Teachers were recruited at the district level and were compensated \$150 for participating in the study. The three participating teachers in grades 7 and 8 were given

additional stipend money because they administered comprehension measures to more than one class of students. All students in attendance on the days the MCRC tests were administered participated in the study.

### **Multiple-choice Reading Comprehension Measures**

The reading comprehension measures on easyCBM<sup>®</sup> are designed for group administration and are available for grades 2-8. Students first read an original work of narrative fiction and then answer multiple-choice questions (12 questions on the grade 2 test, 20 questions on each of the grade 3-8 tests) based on the story. Multiple-choice questions are designed to assess literal and inferential comprehension on all grade level tests; evaluative comprehension is also assessed on the grade 3-8 tests. Each question is comprised of the question stem and three possible answer choices: the correct answer and two incorrect but plausible distractors. The comprehension measures have a total of 12 points (grade 2) or 20 points (grades 3-8) possible; students earn one point for every question they answer correctly.

We selected the format of the reading comprehension tests based on prior empirical work with local school districts (Alonzo & Tindal, 2004a, 2004b, 2004c). In this work, teachers had expressed their desire for tests that closely resembled the types of readings students regularly encountered in their classes. At the same time, concerns about increasing the reliability, ease of use, and cost-effectiveness of our measures prompted us to use selected response rather than open-ended question types in our comprehension measures. Accordingly, we developed the MCRC tests in a two-step process. First, we wrote the stories that were used as the basis for each test. Then, we wrote the test items associated with each story. We embedded quality control and content review processes in both these steps throughout instrument development.

Two people, selected for their expertise in instrument development and language arts,

were principally involved with overseeing the creation of the MCRC tests. The first person oversaw the creation and revision of the stories and test items earned her Bachelor of Arts degree in Literature from Carleton College in 1990, worked for twelve years as an English teacher in California public schools, was awarded National Board for Professional Teaching Standards certification in Adolescent and Young Adulthood English Language Arts in 2002, and earned her Ph.D. in the area of Learning Assessments/System Performance at the University of Oregon. The second person hired to write the MCRC items earned his Ph.D. in education psychology, measurement, and methodology from the University of Arizona. He has worked in education at the elementary and middle school levels, as well as in higher education and at the state level. He held a position as associate professor in the distance-learning program for Northern Arizona University and served as director of assessment for a large metropolitan school district in Phoenix, Arizona. In addition, he served as state Director of Assessment and Deputy Associate Superintendent for Standards and Assessment at the Arizona Department of Education. He was a test development manager for Harcourt Assessment and has broad experience in assessment and test development.

**Grade 5 test development.** The two individuals hired to develop the grade 5 measures worked together to create documentation for story-writers to use while creating their stories. This written documentation was provided to increase the comparability of story structure and reduce the likelihood of construct irrelevant variance related to variation in story type affecting student performance on the different forms of the comprehension measures. Story creation specifications provided information about the length of the stories (approximately 1,500 words), characters, settings, and plots. Stories, which were composed between June 2006 and January 2007, were written by a variety of people who were either elementary and secondary school

teachers or graduate students in the College of Education. In all, 24 stories were written; 4 did not pass the criteria required for use in the assessment system, leaving 20 to be piloted at the fifth grade level.

The professional item writer we hired created 20 multiple-choice questions, each with three possible answer options, for each form of the grade 5 MCRC test. In all, he wrote 400 multiple-choice questions. All fifth-grade questions were written between July and October of 2007. For each of the fifth-grade MCRC tests, we wrote seven questions targeting literal comprehension, seven questions targeting inferential comprehension, and six questions targeting evaluative comprehension, for a total of 20 items on each form of the test. Within each type of comprehension, item-writing specifications called for a range of difficulty such that each form of each test contained some easy, moderate, and difficult items in each of the types of comprehension assessed on that test. Item-writing specifications also guided the ordering of the items on each form of the MCRC test. In all cases, we followed a similar pattern of item ordering, beginning with the easiest literal comprehension item and continuing with items of increasing difficulty, ending with an item designed to be one of the most challenging, pulled from the highest level of comprehension assessed in that grade level (evaluative comprehension in grade 5). Once the multiple-choice items were written, the stories and item lists were formatted into individual tests, each comprised of a story and 20 multiple-choice test items. Alonzo and Tindal (2008) provided a detailed description of the development and technical adequacy of the grade 5 MCRC test.

**Grade 5 test selection and administration.** We selected a subset of MCRC grade 5 forms (roughly 60% of those available through the easyCBM<sup>®</sup> assessment system) to use in this study. We used forms 8, 9, 10, 11, 12, 13, 14, 15, and 16 in this study. We selected these grade



5 forms because higher form numbers are typically used less in the classroom compared to the lower-numbered assessment forms (e.g., forms 1-7) on which we have already completed earlier research; thus, we deemed further understanding form and item-level reliability statistics of the selected forms a priority.

Each student participated in the testing on three separate testing occasions in three different sessions, roughly one week apart. Each comprehension measure was group administered by the classroom teacher. In the first session, students completed a comprehension form assigned by class. Roughly one week later, students completed an alternate form of the comprehension measure. On the final testing occasion, students completed a third alternate form. To reduce the possibility of the order of the forms completed adversely affecting testing results, we assigned comprehension forms within a given grade at the class level based on a two-group counterbalanced measure design. For instance, the first of the six participating grade 2 classes completed forms 11, 12, and 13, in that order, over the three testing occasions; the second grade 2 class completed forms 13, 12 and 11 (the opposite order of the first). We used the same counterbalanced measure design for all classes and all grades in the study.

### **Analysis**

We used a variety of approaches to study the reliability of the easyCBM comprehension assessments: repeated measures analysis of variance, split half reliability using the Guttman formula, top/bottom reliability, and Rasch analysis. Each of these analytic approaches is explained in more detail in the following section.

**One-way repeated measures analysis of variance.** To examine whether there was a significant difference in difficulty across the forms, we conducted one-way repeated measures analysis of variance (ANOVA). Each student completed three test forms in each grade. When

there was a statistically significant within-subject effect, the mean differences among the three forms were further analyzed to investigate where the significant within-subject difference resided.

**Split-half reliability.** We conducted form and item-level reliability analyses for all grades in this study. To assess overall reliability of the MCRC measure, we examined the internal consistency among items within each selected test form using split-half reliability coefficients calculated from the Guttman formula using SPSS 19 (SPSS Inc., 2010). We used the Guttman formula to calculate split-half reliability coefficients because the Guttman formula does not assume homogeneity of test halves and will not overestimate the full-form reliability (Kerlinger & Lee, 2000). Thus, we felt the Guttman formula provided a more conservative and reasonable estimate of full test form reliability.

**Top-bottom reliability.** We computed the total score based on the scored item-level data, with unanswered items scored as incorrect (i.e., “0”). The possible total score for grade 5 forms is 20. Because easyCBM<sup>®</sup> progress monitoring measures were developed to target students who are at-risk for academic failure, items should function differently for students who are at or below the 23rd percentile (i.e., lower percentiles) and those who are at or above the 78th percentile (i.e., higher percentiles). To evaluate the appropriateness of items, item functioning was compared between the two aforementioned groups. The scores corresponding to the 23rd and 78th percentiles were computed for each form. Then, the proportions of correct responses for each item for the two groups were analyzed. Both groups should demonstrate high proportions of correct responses for an easy item that functions appropriately. For a difficult item that is functioning appropriately, the proportion of correct responses for the lower percentile group should be lower than that for the higher percentile group. A higher proportion of correct

responses for the lower percentile group indicates that the item may not be functioning appropriately.

**Rasch analyses.** Data from the pilot testing of the MCRC measures were analyzed with a one-parameter logistic Rasch analysis using the software Winsteps 3.68.2 (Linacre, 2009). Unlike classical statistics, Rasch analyses consider patterns of responses across individuals, providing information at a level of specificity in results unattainable with approaches based on classical statistics used in the development of most CBMs. In a complex iterative process, a Rasch analysis concurrently estimates the difficulty of individual test items and the ability level of each individual test taker. The results, relevant to the discussion here, include an estimation of the difficulty (referred to as the ‘measure’) of each item, the standard error of measure associated with each item’s estimated difficulty, and the degree to which each item ‘fits’ the measurement model (referred to as the ‘mean square outfit’). In addition, a Rasch analysis can provide information about the average estimated ability of students who selected each of the possible answer choices. All of this information must be considered when evaluating the technical adequacy of the measures, as described below.

***Considering item estimated difficulty.*** Rasch analyses, which examine each item’s reliability, provide a more precise treatment of reliability than classical statistics, which examine the issue from a global test level. The most reliable estimation of a test-taker’s ability can be gained from tests comprised of items that represent the fullest range of difficulty possible for the population for which the test is intended. Thus, to evaluate the technical adequacy of our MCRC measures, we looked for items representing a range of difficulties. In Rasch analyses, this information is gleaned from examining each item’s *measure*. Easy items will have measures represented with negative numbers; difficult items will have measures represented with positive

numbers. A measure of zero indicates an item that a person of average ability would be expected to have a 50% chance of getting correct. Thus, we sought a full range of *measure* on every MCRC test form.

***Examining the standard error of measure.*** Rasch analyses also provide information about the standard error of measure associated with the estimation of each item's measure. Generally, the smaller the standard error of measure, the more reliable the estimation is. We sought small standard errors of measure for all items on our MCRC tests.

***Using the mean square outfit to evaluate goodness of fit.*** An additional piece of information used to evaluate technical adequacy in a Rasch model is the mean square outfit associated with each item. Values in the range of 0.50 to 1.50 are considered *acceptable fit*. Mean square outfits falling outside this acceptable range indicate the need for further evaluation of item functioning. In general, items with a mean square outfit less than 0.50 are considered less worrisome than items with mean square outfits higher than 1.50 because items falling into the former category perform more *consistently* (e.g., every student regardless of ability gets the item correct or incorrect) compared to items in the latter category that function more *inconsistently* (e.g., students who perform poorly on all other items, always get the item correct) (Linacre, 2002). In all cases, distractor analysis provides useful information to further evaluate the technical adequacy of each item.

***Analyzing distractor selection information.*** A distractor analysis provides information on the average estimated ability of test takers who selected a particular distractor on a test. In evaluating the technical adequacy of an assessment instrument, one hopes to see that the correct answer is selected by test-takers with the highest average estimated ability and the remaining distractors are selected by test-takers with lower estimated abilities. In addition, every distractor

in a well-constructed measure will be selected by at least some test-takers. We considered all of these features in evaluating the technical adequacy of the MCRC measures.

*Analyzing person and item reliability.* Rasch analyses report both the person and item reliability. The person reliability is equivalent to the traditional test reliability. Low values indicate a narrow range of person measures, or a small number of items. Therefore, testing persons with more extreme abilities (high and low) or lengthening the measure would increase the person reliability. Winsteps' item reliability has no traditional equivalent. Low item reliability values indicate a narrow range of item measures or a small sample. A larger sample of persons would increase item reliability. Low item reliability means that the sample size is too small to precisely locate the items on the latent variable (i.e., ability).

## Results

### Grade 5 MCRC Equivalence by Form

In this section we report findings concerning the equivalence of MCRC forms. We used one-way repeated measures ANOVA to evaluate equivalence of difficulty across the MCRC forms. Because like groups of students took three MCRC forms, each roughly one week apart, we evaluated the difficulty equivalence of each set of the three forms that were taken by the same group of students. Mean differences across forms of 8, 9, and 10 were not significantly different. On the other hand, mean differences across forms of 11, 12, and 13 were statistically significant,  $F(2, 138) = 26.34, p < .01$ . Forms 11 and 12 were significantly more difficult than form 13. Mean differences across forms of 13, 14, and 15 were also statistically significant,  $F(2, 106) = 4.34, p < .05$ . Forms 14 and 15 were significantly more difficult than form 16. Tables 1-8 in Appendix A display descriptive statistics and the complete results of repeated measures

ANOVA, as well as post-hoc analyses conducted to compare mean differences for the grade 5 MCRC measures used in the study.

### **Grade 5 MCRC Split-half Reliability**

In this section we report overall reliability of the MCRC measure based on internal consistency among items within each selected test form using split-half reliability coefficients calculated with the Guttman formula. Split-half reliability coefficients were computed by comparing the results from the first 10 items of the MCRC measure to the second 10 items for all students in the sample taking each form. Some coefficients were calculated based on less than 20 items (*e.g.*, forms 11, 12 and 15 in grade 5) if a given item did not have enough variance to calculate reliability. For grade 5 MCRC forms 8 through 16, Guttman split-half reliability coefficients ranged from .29 to .83. Specifically, the split-half coefficient for form 8 was .29 ( $n = 20$  items); the split-half coefficient for form 9 was .79 ( $n = 20$  items); the split-half coefficient for form 10 was .75 ( $n = 20$  items); the split-half coefficient for form 11 was .60 ( $n = 19$  items); the split-half coefficient for form 12 was .33 ( $n = 18$  items); the split-half coefficient for form 13 was .67 ( $n = 20$  items); the split-half coefficient for form 14 was .83 ( $n = 20$  items); the split-half coefficient for form 15 was .57 ( $n = 18$  items); the split-half coefficient for form 16 was .59 ( $n = 20$  items). Tables 1-18 in Appendix B display descriptive statistics and complete results of split-half reliability analyses by form for grade 5 MCRC measures used in this study.

### **Grade 5 Top-bottom Reliability**

In this section we report results from top-bottom reliability analysis used to evaluate the appropriateness of items. The proportion of correct responses of each item for low-performing (at or below the 23rd percentile) and high-performing (at or above the 78th percentile) students was evaluated from this analysis to examine the appropriateness of item functioning. For form 8,

all students in the low-performing group answered 1 out of 20 items correctly; the proportion of correct responses for the remaining 19 items ranged from .18 to .91. Every student in the high-performing group answered 11 out of 20 items correctly, and the proportion of correct responses for the remaining 9 items ranged from .73 to .93. For form 9, the proportion of correct responses ranged from .07 to .88 for the low-performing students. Every student in the high-performing group answered 15 out of 20 items correctly, and the proportion of correct responses for the remaining 5 items ranged from .56 to .88. For form 10, all students in the low-performing group answered 1 out of 20 items correctly; the proportion of correct responses for the remaining 19 items ranged from .12 to .83. All students in the high-performing group answered 11 out of 20 items correctly, and the proportion of correct responses for the remaining 9 items ranged from .33 to .94. For form 11, all students in the low-performing group answered 1 out of 20 items correctly; the proportion of correct responses for the remaining 19 items ranged from .45 to .91. All students in the high-performing group answered 11 out of 20 items correctly, and the proportion of correct responses for the remaining 9 items ranged from .86 to .97.

For form 12, all students in the low-performing group answered 3 out of 20 items correctly; the proportion of correct responses for the remaining 17 items ranged from .18 to .94. All students in the high-performing group answered 11 out of 20 items correctly, and the proportion of correct responses for the remaining 9 items ranged from .25 to .96. The proportion of correct responses for the item 18 was higher for the low-performing students (.29) than for high-performing students (.25). For form 13, the proportion of correct responses ranged from .24 to .88 for the low-performing students in this group. All students in the high-performing group answered 7 out of 20 items correctly, and the proportion of correct responses for the remaining 13 items ranged from .70 to .96. For form 14, the proportion of correct responses ranged from

.09 to .91 for the low-performing students in this group. All students in the high-performing group answered all 20 items correctly. For form 15, all students in the low-performing group answered 2 out of 20 items correctly; the proportion of correct responses ranged from .06 to .94 for the remaining 18 items. All students in the high-performing group answered 9 out of 20 items correctly, and the proportion of correct responses for the remaining 11 items ranged from .60 to .95. For form 16, the proportion of correct responses ranged from .18 to .94 for the low-performing students in this group. All students in the high-performing group answered 10 out of 20 items correctly, and the proportion of correct responses for the remaining 10 items ranged from .53 to .93. Tables 1-10 in Appendix C display mean and percentile scores and the complete top-bottom reliability results for the grade 5 MCRC forms used in this study.

### **Grade 5 Item-level Rasch Analyses**

Almost all items on the grade 5 MCRC form 8 passed the pre-set adequate model fit selection criteria, falling within the mean square outfit range of 0.50 to 1.50. The exceptions were items #11 and #16, which had a mean square outfit of 2.11 and 1.62, respectively. Distractor analysis also indicated that these two items may not be functioning appropriately. Item #19 had mean square outfit of 0.40. Distractor analysis also suggested that this item might not be functioning well. A few items on grade 5 MCRC form 9 were not within the mean square outfit range of 0.50 to 1.50. Items #12 and #20 were over-fit, with mean square outfit values of 6.75 and 1.91, respectively. Items #2, #9, #14, #17, and #18 were under-fit, with mean square outfit values of 0.28, 0.16, 0.18, 0.43, and 0.42, respectively. Distractor analysis however suggested that all of these items were functioning appropriately, though item #17 may not be. On grade 5 MCRC form 10, only item #18 was over-fit, with a mean square outfit of 1.59. Items #10, #14, #19, and #20 were under-fit, with mean square outfit values of 0.48, 0.18, 0.39, and



0.47, respectively. Of these items, distractor analysis indicated that items #10, #14, and #19 may not be functioning appropriately. All but three items on the grade 5 MCRC form 11 were within the acceptable mean square outfit range of 0.50 to 1.50. The exceptions were items #5, #7, and #18, with mean square outfit values of 0.10, 0.23, and 0.29, respectively. Distractor analysis indicated that items #5 and #18 might not be functioning appropriately.

On the grade 5 MCRC form 12, only item #18 exceeded the acceptable criteria of 1.50, with a mean square outfit of 2.59. Items #1, #4, and #15, on the other hand, had mean square outfit values below the acceptable criteria, 0.23, 0.27, and 0.35, respectively. Results from distractor analysis indicated that items #1, #4, and #15 might not be functioning appropriately. Items #2 and #18 on the grade 5 MCRC form 13 were over-fit, with mean square outfit of 2.09 and 1.53, respectively. Item #7 was under-fit, with mean square outfit of 0.28. Distractor analysis, however, indicated that all of the items on this form were functioning appropriately. Almost all items on the grade 5 MCRC form 14 had mean square outfit values within the acceptable range of 0.50 and 1.50. Three items, #1, #5, and #14, were under fit, with mean square outfit values of 0.17, 0.09, and 0.33, respectively. Distractor analysis suggested that these items might not be functioning appropriately. On the grade 5 MCRC form 15, items #1, #4, #6, and #10 were over-fit, with mean square outfit of 2.31, 2.12, 2.5 and 1.51, respectively. Distractor analysis indicated that only items #1 and #4 might not be functioning appropriately. Items #5, #8, #17, and #20 were under-fit, with mean square outfit values of 0.11, 0.25, 0.45, and 0.30, respectively. Distractor analysis suggested that only items #5 and #8 might not be functioning appropriately. Almost all items on the grade 5 MCRC form 16 had mean square outfit values with in the acceptable range of 0.50 and 1.50. Only item #18 was over-fit, with a mean square outfit of 1.66. Items #3 and #6 were under-fit, with mean square outfit of 0.26 and

0.47, respectively. Results from the distractor analysis indicated that these items are functioning appropriately.

Person reliability values were low to high overall, ranging from 0.25 to 0.72. Item reliability was generally moderate, with values generally in the .80-.90s. It should be noted that the sample sizes were small in general (*n* ranges 52-83). Tables 1-18 in Appendix D display the item measure, standard error of measure, mean square outfit, and complete distractor analyses for the nine grade 5 MCRC measures used in this study.

### **Discussion**

Our findings in this study suggest that the grade 5 easyCBM multiple choice reading comprehension measures have acceptable levels of reliability for the two purposes for which they are intended: as one part of a battery of assessments administered in the fall, winter, and spring to screen students at risk for reading difficulty, and as repeated measures over time as used to monitor student progress in developing comprehension skill. Although we would have preferred to have even higher alternate form reliability coefficients, it appears likely that our results are dampened by two factors. First, sample sizes in our study were not as large as we would have liked, due to challenges related to participant recruitment. Second, it appears as though the test forms might have had a ceiling effect, with very little variation in scores for students who were in the top third (reducing the power of the top / bottom reliability analyses). Future research should address both these limitations.

## References

- Alonzo, J., Ketterlin-Geller, L.R., & Tindal, G. (2006). Curriculum-based measurement in reading and math: providing rigorous outcomes to support learning. In L. Florian (Ed.), *The Sage Handbook of Special Education* (pp. 307-318). Thousand Oaks, CA: Sage.
- Alonzo, J., & Tindal, G. (2004a). Analysis of reading fluency and comprehension measures for first-grade students (Technical Report No. 25). Eugene, OR: University of Oregon, College of Education, Behavioral Research and Teaching.
- Alonzo, J., & Tindal, G. (2004b). Analysis of reading fluency and comprehension measures for fourth-grade students (Technical Report No. 27). Eugene, OR: University of Oregon, College of Education, Behavioral Research and Teaching.
- Alonzo, J., & Tindal, G. (2004c). Technical report: District reading assessments, spring 2004 administration (Technical Report No. 30). Eugene, OR: University of Oregon, College of Education, Behavioral Research and Teaching.
- Alonzo, J., & Tindal, G. (2008). Examining the technical adequacy of fifth-grade reading comprehension measures in a progress monitoring assessment system (Technical Report No. 0807). Eugene, OR: Behavioral Research and Teaching, University of Oregon.
- Kerlinger, F. N., & Lee, H. B. (2000). *Foundations of Behavioral Research* (Fourth ed.). New York: Thomson Learning, Inc.
- Linacre, J. M. (2002). What do infit and outfit, mean-square and standardized mean? *Rasch Measurement and Transactions*, 16(2), 878.
- Linacre, J. M. (2009). WINSTEPS Rasch measurement computer program: version 3.68.2.
- SPSS Inc. (2010). SPSS for Macintosh License Agreement. Chicago, IL: SPSS Inc.

Yovanoff, P., Duesbery, L., Alonzo, J., & Tindal, G. (2005). Grade level invariance of a theoretical causal structure predicting reading comprehension with vocabulary and oral reading fluency. *Educational Measurement: Issues and Practice*, 4 - 12.

## Appendix A

Table 1  
*Descriptive Statistics of Grade 5 Measures 8 to 10*

	Mean	Std. Deviation	N
total_8	16.0000	2.67375	48
total_9	16.0000	3.54305	48
total_10	15.2917	2.75957	48

Table 2  
*Tests of Within-Subjects Effects for Grade 5 Measures 8 to 10*

Source		Type III Sum of Squares	df	Mean Square	F	Sig.
forms	Sphericity Assumed	16.056	2	8.028	1.932	.151
	Greenhouse-Geisser	16.056	1.964	8.174	1.932	.151
	Huynh-Feldt	16.056	2.000	8.028	1.932	.151
	Lower-bound	16.056	1.000	16.056	1.932	.171
Error(forms)	Sphericity Assumed	390.611	94	4.155		
	Greenhouse-Geisser	390.611	92.313	4.231		
	Huynh-Feldt	390.611	94.000	4.155		
	Lower-bound	390.611	47.000	8.311		

*Note.* Mauchly's Test of Sphericity: The assumption of sphericity was not violated, Mauchly's W was 0.98,  $\chi^2(2) = 0.85$ ,  $p > .05$ .

Table 3  
*Descriptive Statistics of Grade 5 Measures 11 to 13*

	Mean	Std. Deviation	N
total_11	17.6143	2.32375	70
total_12	16.2000	2.41733	70
total_13	15.1857	3.06591	70

Table 4  
*Tests of Within-Subjects Effects for Grade 5 Measures 11 to 13*

Source		Type III Sum of Squares	df	Mean Square	F	Sig.
forms	Sphericity Assumed	208.295	2	104.148	26.337	.000
	Greenhouse-Geisser	208.295	1.942	107.277	26.337	.000
	Huynh-Feldt	208.295	1.997	104.304	26.337	.000
	Lower-bound	208.295	1.000	208.295	26.337	.000
Error(forms)	Sphericity Assumed	545.705	138	3.954		
	Greenhouse-Geisser	545.705	133.974	4.073		
	Huynh-Feldt	545.705	137.793	3.960		
	Lower-bound	545.705	69.000	7.909		

Note. Mauchly's Test of Sphericity: The assumption of sphericity was not violated, Mauchly's W was 0.97,  $\chi^2(2) = 2.08$ ,  $p > .05$ .

Table 5  
*Tests of Within-Subjects Contrasts for Grade 5 Measures 11 to 13*

Source		Type III Sum of Squares	df	Mean Square	F	Sig.
forms	Level 1 vs. Level 3	412.857	1	412.857	44.711	.000
	Level 2 vs. Level 3	72.014	1	72.014	9.538	.003
Error(forms)	Level 1 vs. Level 3	637.143	69	9.234		
	Level 2 vs. Level 3	520.986	69	7.551		

Table 6  
*Descriptive Statistics of Grade 5 Measures 14 to 16*

	Mean	Std. Deviation	N
total_14	15.9444	4.02547	54
total_15	15.9444	2.94872	54
total_16	14.7407	3.85680	54

Table 7  
*Tests of Within-Subjects Effects for Grade 5 Measures 14 to 16*

Source		Type III Sum of Squares	df	Mean Square	F	Sig.
forms	Sphericity Assumed	52.160	2	26.080	4.339	.015
	Greenhouse-Geisser	52.160	1.581	33.000	4.339	.024
	Huynh-Feldt	52.160	1.621	32.177	4.339	.023
	Lower-bound	52.160	1.000	52.160	4.339	.042
Error(forms)	Sphericity Assumed	637.173	106	6.011		
	Greenhouse-Geisser	637.173	83.773	7.606		
	Huynh-Feldt	637.173	85.916	7.416		
	Lower-bound	637.173	53.000	12.022		

Note. Mauchly's Test of Sphericity: Mauchly's W was 0.74,  $\chi^2(2) = 16.03, p < .05$ . Thus, for all within-subject effects, the Greenhouse-Geisser  $F$  was used.

Table 8  
*Tests of Within-Subjects Contrasts for Grade 5 Measures 14 to 16*

Source	forms	Type III Sum of Squares	df	Mean Square	F	Sig.
forms	Level 1 vs. Level 3	78.241	1	78.241	4.380	.041
	Level 2 vs. Level 3	78.241	1	78.241	7.190	.010
Error(forms)	Level 1 vs. Level 3	946.759	53	17.863		
	Level 2 vs. Level 3	576.759	53	10.882		

## Appendix B

Table 1

*Grade 5 Split-Half Coefficients for MCRC Form 8 with N = 20 Items*

Cronbach's Alpha	Part 1	Value	.559
		N of Items	10 <sup>a</sup>
	Part 2	Value	.416
		N of Items	10 <sup>b</sup>
	Total N of Items		20
Correlation Between Forms			.170
Spearman-Brown Coefficient	Equal Length		.291
	Unequal Length		.291
Guttman Split-Half Coefficient			.288

a. The items are: Q1\_Corr, Q2\_Corr, Q3\_Corr, Q4\_Corr, Q5\_Corr, Q6\_Corr, Q7\_Corr, Q8\_Corr, Q9\_Corr, Q10\_Corr.

b. The items are: Q11\_Corr, Q12\_Corr, Q13\_Corr, Q14\_Corr, Q15\_Corr, Q16\_Corr, Q17\_Corr, Q18\_Corr, Q19\_Corr, Q20\_Corr.

Table 2

*Grade 5 Split-Half Scale Statistics for MCRC Form 8 with N = 20 Items*

	Mean	Variance	Std. Deviation	N of Items
Part 1	8.28	2.635	1.623	10 <sup>a</sup>
Part 2	8.14	1.980	1.407	10 <sup>b</sup>
Both Parts	16.42	5.392	2.322	20

a. The items are: Q1\_Corr, Q2\_Corr, Q3\_Corr, Q4\_Corr, Q5\_Corr, Q6\_Corr, Q7\_Corr, Q8\_Corr, Q9\_Corr, Q10\_Corr.

b. The items are: Q11\_Corr, Q12\_Corr, Q13\_Corr, Q14\_Corr, Q15\_Corr, Q16\_Corr, Q17\_Corr, Q18\_Corr, Q19\_Corr, Q20\_Corr.



Table 3

*Grade 5 Split-Half Coefficients for MCRC Form 9 with N = 20 Items*

Cronbach's Alpha	Part 1	Value	.744
		N of Items	10 <sup>a</sup>
	Part 2	Value	.660
		N of Items	10 <sup>b</sup>
	Total N of Items		20
Correlation Between Forms			.656
Spearman-Brown Coefficient	Equal Length		.793
	Unequal Length		.793
Guttman Split-Half Coefficient			.790

a. The items are: Q1\_Corr, Q2\_Corr, Q3\_Corr, Q4\_Corr, Q5\_Corr, Q6\_Corr, Q7\_Corr, Q8\_Corr, Q9\_Corr, Q10\_Corr.

b. The items are: Q11\_Corr, Q12\_Corr, Q13\_Corr, Q14\_Corr, Q15\_Corr, Q16\_Corr, Q17\_Corr, Q18\_Corr, Q19\_Corr, Q20\_Corr.

Table 4

*Grade 5 Split-Half Scale Statistics for MCRC Form 9 with N = 20 Items*

	Mean	Variance	Std. Deviation	N of Items
Part 1	8.82	3.111	1.764	10 <sup>a</sup>
Part 2	7.31	3.759	1.939	10 <sup>b</sup>
Both Parts	16.12	11.360	3.370	20

a. The items are: Q1\_Corr, Q2\_Corr, Q3\_Corr, Q4\_Corr, Q5\_Corr, Q6\_Corr, Q7\_Corr, Q8\_Corr, Q9\_Corr, Q10\_Corr.

b. The items are: Q11\_Corr, Q12\_Corr, Q13\_Corr, Q14\_Corr, Q15\_Corr, Q16\_Corr, Q17\_Corr, Q18\_Corr, Q19\_Corr, Q20\_Corr.

Table 5

*Grade 5 Split-Half Coefficients for MCRC Form 10 with N = 20 Items*

Cronbach's Alpha	Part 1	Value	.246
		N of Items	10 <sup>a</sup>
	Part 2	Value	.534
		N of Items	10 <sup>b</sup>
	Total N of Items		20
Correlation Between Forms			.644
Spearman-Brown Coefficient	Equal Length		.783
	Unequal Length		.783
Guttman Split-Half Coefficient			.749

a. The items are: Q1\_Corr, Q2\_Corr, Q3\_Corr, Q4\_Corr, Q5\_Corr, Q6\_Corr, Q7\_Corr, Q8\_Corr, Q9\_Corr, Q10\_Corr.

b. The items are: Q11\_Corr, Q12\_Corr, Q13\_Corr, Q14\_Corr, Q15\_Corr, Q16\_Corr, Q17\_Corr, Q18\_Corr, Q19\_Corr, Q20\_Corr.

Table 6

*Grade 5 Split-Half Scale Statistics for MCRC Form 10 with N = 20 Items*

	Mean	Variance	Std. Deviation	N of Items
Part 1	8.40	1.436	1.198	10 <sup>a</sup>
Part 2	7.10	3.117	1.765	10 <sup>b</sup>
Both Parts	15.50	7.277	2.698	20

a. The items are: Q1\_Corr, Q2\_Corr, Q3\_Corr, Q4\_Corr, Q5\_Corr, Q6\_Corr, Q7\_Corr, Q8\_Corr, Q9\_Corr, Q10\_Corr.

b. The items are: Q11\_Corr, Q12\_Corr, Q13\_Corr, Q14\_Corr, Q15\_Corr, Q16\_Corr, Q17\_Corr, Q18\_Corr, Q19\_Corr, Q20\_Corr.

Table 7

*Grade 5 Split-Half Coefficients for MCRC Form 11 with N = 19 Items*

Cronbach's Alpha	Part 1	Value	.459
		N of Items	9 <sup>a</sup>
	Part 2	Value	.423
N of Items		10 <sup>b</sup>	
	Total N of Items		19
Correlation Between Forms			.431
Spearman-Brown Coefficient	Equal Length		.603
	Unequal Length		.603
Guttman Split-Half Coefficient			.602

a. The items are: Q1\_Corr, Q2\_Corr, Q3\_Corr, Q4\_Corr, Q5\_Corr, Q6\_Corr, Q7\_Corr, Q8\_Corr, Q9\_Corr.

b. The items are: Q10\_Corr, Q11\_Corr, Q12\_Corr, Q13\_Corr, Q14\_Corr, Q15\_Corr, Q16\_Corr, Q17\_Corr, Q18\_Corr, Q19\_Corr.

Table 8

*Grade 5 Split-Half Scale Statistics for MCRC Form 11 with N = 19 Items*

	Mean	Variance	Std. Deviation	N of Items
Part 1	7.86	1.590	1.261	9 <sup>a</sup>
Part 2	9.03	1.405	1.185	10 <sup>b</sup>
Both Parts	16.89	4.285	2.070	19

a. The items are: Q1\_Corr, Q2\_Corr, Q3\_Corr, Q4\_Corr, Q5\_Corr, Q6\_Corr, Q7\_Corr, Q8\_Corr, Q9\_Corr.

b. The items are: Q10\_Corr, Q11\_Corr, Q12\_Corr, Q13\_Corr, Q14\_Corr, Q15\_Corr, Q16\_Corr, Q17\_Corr, Q18\_Corr, Q19\_Corr.

Table 9

*Grade 5 Split-Half Coefficients for MCRC Form 12 with N = 18 Items*

Cronbach's Alpha	Part 1	Value	.166
		N of Items	8 <sup>a</sup>
	Part 2	Value	.426
		N of Items	10 <sup>b</sup>
	Total N of Items		18
Correlation Between Forms			.218
Spearman-Brown Coefficient	Equal Length		.358
	Unequal Length		.359
Guttman Split-Half Coefficient			.333

a. The items are: Q1\_Corr, Q2\_Corr, Q3\_Corr, Q4\_Corr, Q5\_Corr, Q6\_Corr, Q7\_Corr, Q8\_Corr.

b. The items are: Q9\_Corr, Q10\_Corr, Q11\_Corr, Q12\_Corr, Q13\_Corr, Q14\_Corr, Q15\_Corr, Q16\_Corr, Q17\_Corr, Q18\_Corr.

Table 10

*Grade 5 Split-Half Scale Statistics for MCRC Form 12 with N = 18 Items*

	Mean	Variance	Std. Deviation	N of Items
Part 1	7.00	.896	.946	8 <sup>a</sup>
Part 2	7.69	2.097	1.448	10 <sup>b</sup>
Both Parts	14.69	3.590	1.895	18

a. The items are: Q1\_Corr, Q2\_Corr, Q3\_Corr, Q4\_Corr, Q5\_Corr, Q6\_Corr, Q7\_Corr, Q8\_Corr.

b. The items are: Q9\_Corr, Q10\_Corr, Q11\_Corr, Q12\_Corr, Q13\_Corr, Q14\_Corr, Q15\_Corr, Q16\_Corr, Q17\_Corr, Q18\_Corr.

Table 11

*Grade 5 Split-Half Coefficients for MCRC Form 13 with N = 20 Items*

Cronbach's Alpha	Part 1	Value	.514
		N of Items	10 <sup>a</sup>
	Part 2	Value	.571
		N of Items	10 <sup>b</sup>
	Total N of Items		20
Correlation Between Forms			.510
Spearman-Brown Coefficient	Equal Length		.675
	Unequal Length		.675
Guttman Split-Half Coefficient			.669

a. The items are: Q1\_Corr, Q2\_Corr, Q3\_Corr, Q4\_Corr, Q5\_Corr, Q6\_Corr, Q7\_Corr, Q8\_Corr, Q9\_Corr, Q10\_Corr.

b. The items are: Q11\_Corr, Q12\_Corr, Q13\_Corr, Q14\_Corr, Q15\_Corr, Q16\_Corr, Q17\_Corr, Q18\_Corr, Q19\_Corr, Q20\_Corr.

Table 12

*Grade 5 Split-Half Scale Statistics for MCRC Form 13 with N = 20 Items*

	Mean	Variance	Std. Deviation	N of Items
Part 1	8.16	2.528	1.590	10 <sup>a</sup>
Part 2	7.43	3.538	1.881	10 <sup>b</sup>
Both Parts	15.58	9.114	3.019	20

a. The items are: Q1\_Corr, Q2\_Corr, Q3\_Corr, Q4\_Corr, Q5\_Corr, Q6\_Corr, Q7\_Corr, Q8\_Corr, Q9\_Corr, Q10\_Corr.

b. The items are: Q11\_Corr, Q12\_Corr, Q13\_Corr, Q14\_Corr, Q15\_Corr, Q16\_Corr, Q17\_Corr, Q18\_Corr, Q19\_Corr, Q20\_Corr.

Table 13

*Grade 5 Split-Half Coefficients for MCRC Form 14 with N = 20 Items*

Cronbach's Alpha	Part 1	Value	.635
		N of Items	10 <sup>a</sup>
	Part 2	Value	.796
		N of Items	10 <sup>b</sup>
	Total N of Items		20
Correlation Between Forms			.755
Spearman-Brown Coefficient	Equal Length		.860
	Unequal Length		.860
Guttman Split-Half Coefficient			.825

a. The items are: Q1\_Corr, Q2\_Corr, Q3\_Corr, Q4\_Corr, Q5\_Corr, Q6\_Corr, Q7\_Corr, Q8\_Corr, Q9\_Corr, Q10\_Corr.

b. The items are: Q11\_Corr, Q12\_Corr, Q13\_Corr, Q14\_Corr, Q15\_Corr, Q16\_Corr, Q17\_Corr, Q18\_Corr, Q19\_Corr, Q20\_Corr.

Table 14

*Grade 5 Split-Half Scale Statistics for MCRC Form 14 with N = 20 Items*

	Mean	Variance	Std. Deviation	N of Items
Part 1	8.57	2.625	1.620	10 <sup>a</sup>
Part 2	7.90	5.677	2.383	10 <sup>b</sup>
Both Parts	16.47	14.129	3.759	20

a. The items are: Q1\_Corr, Q2\_Corr, Q3\_Corr, Q4\_Corr, Q5\_Corr, Q6\_Corr, Q7\_Corr, Q8\_Corr, Q9\_Corr, Q10\_Corr.

b. The items are: Q11\_Corr, Q12\_Corr, Q13\_Corr, Q14\_Corr, Q15\_Corr, Q16\_Corr, Q17\_Corr, Q18\_Corr, Q19\_Corr, Q20\_Corr.

Table 15

*Grade 5 Split-Half Coefficients for MCRC Form 15 with N = 18 Items*

Cronbach's Alpha	Part 1	Value	.453
		N of Items	8 <sup>a</sup>
	Part 2	Value	.629
		N of Items	10 <sup>b</sup>
	Total N of Items		18
Correlation Between Forms			.448
Spearman-Brown Coefficient	Equal Length		.619
	Unequal Length		.621
Guttman Split-Half Coefficient			.569

a. The items are: Q1\_Corr, Q2\_Corr, Q3\_Corr, Q4\_Corr, Q5\_Corr, Q6\_Corr, Q7\_Corr, Q8\_Corr.

b. The items are: Q9\_Corr, Q10\_Corr, Q11\_Corr, Q12\_Corr, Q13\_Corr, Q14\_Corr, Q15\_Corr, Q16\_Corr, Q17\_Corr, Q18\_Corr.

Table 16

*Grade 5 Split-Half Scale Statistics for MCRC Form 15 with N = 18 Items*

	Mean	Variance	Std. Deviation	N of Items
Part 1	7.08	1.288	1.135	8 <sup>a</sup>
Part 2	7.38	3.496	1.870	10 <sup>b</sup>
Both Parts	14.46	6.685	2.585	18

a. The items are: Q1\_Corr, Q2\_Corr, Q3\_Corr, Q4\_Corr, Q5\_Corr, Q6\_Corr, Q7\_Corr, Q8\_Corr.

b. The items are: Q9\_Corr, Q10\_Corr, Q11\_Corr, Q12\_Corr, Q13\_Corr, Q14\_Corr, Q15\_Corr, Q16\_Corr, Q17\_Corr, Q18\_Corr.

Table 17

*Grade 5 Split-Half Coefficients for MCRC Form 16 with N = 20 Items*

Cronbach's Alpha	Part 1	Value	.683
		N of Items	10 <sup>a</sup>
	Part 2	Value	.444
		N of Items	10 <sup>b</sup>
	Total N of Items		20
Correlation Between Forms			.421
Spearman-Brown Coefficient	Equal Length		.592
	Unequal Length		.592
Guttman Split-Half Coefficient			.591

a. The items are: Q1\_Corr, Q2\_Corr, Q3\_Corr, Q4\_Corr, Q5\_Corr, Q6\_Corr, Q7\_Corr, Q8\_Corr, Q9\_Corr, Q10\_Corr.

b. The items are: Q11\_Corr, Q12\_Corr, Q13\_Corr, Q14\_Corr, Q15\_Corr, Q16\_Corr, Q17\_Corr, Q18\_Corr, Q19\_Corr, Q20\_Corr.

Table 18

*Grade 5 Split-Half Scale Statistics for MCRC Form 16 with N = 20 Items*

	Mean	Variance	Std. Deviation	N of Items
Part 1	8.62	2.830	1.682	10 <sup>a</sup>
Part 2	6.71	3.268	1.808	10 <sup>b</sup>
Both Parts	15.33	8.656	2.942	20

a. The items are: Q1\_Corr, Q2\_Corr, Q3\_Corr, Q4\_Corr, Q5\_Corr, Q6\_Corr, Q7\_Corr, Q8\_Corr, Q9\_Corr, Q10\_Corr.

b. The items are: Q11\_Corr, Q12\_Corr, Q13\_Corr, Q14\_Corr, Q15\_Corr, Q16\_Corr, Q17\_Corr, Q18\_Corr, Q19\_Corr, Q20\_Corr.



## Appendix C

Table 1  
*Grade 5 Mean and the Percentile Scores by Form*

Form	Mean ( <i>n</i> )	23 <sup>rd</sup> Percentile ( <i>n</i> )	78 <sup>th</sup> Percentile ( <i>n</i> )
8	16.02 (51)	15 (11)	18 (15)
9	15.96 (52)	15 (14)	18 (16)
10	15.33 (52)	14 (12)	17 (18)
11	17.49 (77)	16 (11)	19 (29)
12	16.23 (82)	15 (17)	18 (24)
13	15.36 (83)	13 (17)	18 (23)
14	16.00 (55)	14 (11)	20 (13)
15	16.02 (57)	15 (18)	18 (20)
16	14.73 (56)	13 (11)	18 (15)

Table 2  
*Item Statistics for Students for Grade 5 Form 8*

	23 <sup>rd</sup> Percentile or Below			78 <sup>th</sup> Percentile or Above		
	Mean	Std. Deviation	N	Mean	Std. Deviation	N
Q1_Corr	.82	.405	11	1.00	.000	15
Q2_Corr	.73	.467	11	.93	.258	15
Q3_Corr	.45	.522	11	1.00	.000	15
Q4_Corr	.91	.302	11	1.00	.000	15
Q5_Corr	.64	.505	11	1.00	.000	15
Q6_Corr	.64	.505	11	.80	.414	15
Q7_Corr	.45	.522	11	.73	.458	15
Q8_Corr	.91	.302	11	1.00	.000	15
Q9_Corr	.45	.522	11	.93	.258	15
Q10_Corr	.27	.467	11	.93	.258	15
Q11_Corr	1.00	.000	11	1.00	.000	15
Q12_Corr	.73	.467	11	1.00	.000	15
Q13_Corr	.55	.522	11	.73	.458	15
Q14_Corr	.91	.302	11	1.00	.000	15
Q15_Corr	.36	.505	11	.80	.414	15
Q16_Corr	.91	.302	11	.93	.258	15
Q17_Corr	.91	.302	11	1.00	.000	15
Q18_Corr	.55	.522	11	1.00	.000	15
Q19_Corr	.91	.302	11	1.00	.000	15
Q20_Corr	.18	.405	11	.73	.458	15

Table 3  
*Item Statistics for Students for Grade 5 Form 9*

	23 <sup>rd</sup> Percentile or Below			78 <sup>th</sup> Percentile or Above		
	Mean	Std. Deviation	N	Mean	Std. Deviation	N
Q1_Corr	.86	.363	14	1.00	.000	16
Q2_Corr	.64	.497	14	1.00	.000	16
Q3_Corr	.86	.363	14	1.00	.000	16
Q4_Corr	.50	.519	14	1.00	.000	16
Q5_Corr	.64	.497	14	.88	.342	16
Q6_Corr	.86	.363	14	1.00	.000	16
Q7_Corr	.64	.497	14	1.00	.000	16
Q8_Corr	.64	.497	14	1.00	.000	16
Q9_Corr	.79	.426	14	1.00	.000	16
Q10_Corr	.57	.514	14	1.00	.000	16
Q11_Corr	.36	.497	14	1.00	.000	16
Q12_Corr	.07	.267	14	.56	.512	16
Q13_Corr	.43	.514	14	.94	.250	16
Q14_Corr	.79	.426	14	1.00	.000	16
Q15_Corr	.50	.519	14	.75	.447	16
Q16_Corr	.50	.519	14	1.00	.000	16
Q17_Corr	.71	.469	14	1.00	.000	16
Q18_Corr	.86	.363	14	1.00	.000	16
Q19_Corr	.57	.514	14	1.00	.000	16
Q20_Corr	.21	.426	14	.81	.403	16

Table 4  
*Item Statistics for Students for Grade 5 Form 10*

	23 <sup>rd</sup> Percentile or Below			78 <sup>th</sup> Percentile or Above		
	Mean	Std. Deviation	N	Mean	Std. Deviation	N
Q1_Corr	.83	.389	12	1.00	.000	18
Q2_Corr	.83	.389	12	1.00	.000	18
Q3_Corr	1.00	.000	12	.94	.236	18
Q4_Corr	.25	.452	12	.94	.236	18
Q5_Corr	.58	.515	12	1.00	.000	18
Q6_Corr	.42	.515	12	.61	.502	18
Q7_Corr	.92	.289	12	1.00	.000	18
Q8_Corr	.75	.452	12	1.00	.000	18
Q9_Corr	.67	.492	12	.94	.236	18
Q10_Corr	.67	.492	12	1.00	.000	18
Q11_Corr	.42	.515	12	.78	.428	18
Q12_Corr	.33	.492	12	.72	.461	18
Q13_Corr	.25	.452	12	.72	.461	18
Q14_Corr	.83	.389	12	1.00	.000	18
Q15_Corr	.50	.522	12	1.00	.000	18
Q16_Corr	.58	.515	12	.83	.383	18
Q17_Corr	.75	.452	12	1.00	.000	18
Q18_Corr	.17	.389	12	.33	.485	18
Q19_Corr	.67	.492	12	1.00	.000	18
Q20_Corr	.42	.515	12	1.00	.000	18

Table 5  
*Item Statistics for Students for Grade 5 Form 11*

	23 <sup>rd</sup> Percentile or Below			78 <sup>th</sup> Percentile or Above		
	Mean	Std. Deviation	N	Mean	Std. Deviation	N
Q1_Corr	.45	.522	11	.86	.351	29
Q2_Corr	.91	.302	11	1.00	.000	29
Q3_Corr	.64	.505	11	.86	.351	29
Q4_Corr	.73	.467	11	1.00	.000	29
Q5_Corr	1.00	.000	11	1.00	.000	29
Q6_Corr	.73	.467	11	1.00	.000	29
Q7_Corr	.82	.405	11	1.00	.000	29
Q8_Corr	.82	.405	11	1.00	.000	29
Q9_Corr	.64	.505	11	.97	.186	29
Q10_Corr	.55	.522	11	.86	.351	29
Q11_Corr	.91	.302	11	1.00	.000	29
Q12_Corr	.55	.522	11	.97	.186	29
Q13_Corr	.82	.405	11	.97	.186	29
Q14_Corr	.82	.405	11	.97	.186	29
Q15_Corr	.73	.467	11	1.00	.000	29
Q16_Corr	.64	.505	11	1.00	.000	29
Q17_Corr	.82	.405	11	1.00	.000	29
Q18_Corr	.82	.405	11	1.00	.000	29
Q19_Corr	.73	.467	11	.93	.258	29
Q20_Corr	.64	.505	11	.97	.186	29

Table 6  
*Item Statistics for Students for Grade 5 Form 12*

	23 <sup>rd</sup> Percentile or Below			78 <sup>th</sup> Percentile or Above		
	Mean	Std. Deviation	N	Mean	Std. Deviation	N
Q1_Corr	.94	.243	17	1.00	.000	24
Q2_Corr	1.00	.000	17	1.00	.000	24
Q3_Corr	.88	.332	17	1.00	.000	24
Q4_Corr	1.00	.000	17	1.00	.000	24
Q5_Corr	1.00	.000	17	1.00	.000	24
Q6_Corr	.65	.493	17	.88	.338	24
Q7_Corr	.94	.243	17	1.00	.000	24
Q8_Corr	.76	.437	17	.96	.204	24
Q9_Corr	.35	.493	17	.88	.338	24
Q10_Corr	.47	.514	17	1.00	.000	24
Q11_Corr	.71	.470	17	1.00	.000	24
Q12_Corr	.71	.470	17	.96	.204	24
Q13_Corr	.71	.470	17	1.00	.000	24
Q14_Corr	.76	.437	17	.88	.338	24
Q15_Corr	.82	.393	17	1.00	.000	24
Q16_Corr	.59	.507	17	.96	.204	24
Q17_Corr	.82	.393	17	1.00	.000	24
Q18_Corr	.29	.470	17	.25	.442	24
Q19_Corr	.53	.514	17	.83	.381	24
Q20_Corr	.18	.393	17	.83	.381	24

Table 7  
*Item Statistics for Students for Grade 5 Form 13*

	23 <sup>rd</sup> Percentile or Below			78 <sup>th</sup> Percentile or Above		
	Mean	Std. Deviation	N	Mean	Std. Deviation	N
Q1_Corr	.65	.493	17	1.00	.000	23
Q2_Corr	.88	.332	17	.96	.209	23
Q3_Corr	.65	.493	17	.74	.449	23
Q4_Corr	.35	.493	17	1.00	.000	23
Q5_Corr	.29	.470	17	.96	.209	23
Q6_Corr	.35	.493	17	1.00	.000	23
Q7_Corr	.82	.393	17	1.00	.000	23
Q8_Corr	.88	.332	17	1.00	.000	23
Q9_Corr	.71	.470	17	.96	.209	23
Q10_Corr	.35	.493	17	.96	.209	23
Q11_Corr	.71	.470	17	.96	.209	23
Q12_Corr	.76	.437	17	1.00	.000	23
Q13_Corr	.24	.437	17	.87	.344	23
Q14_Corr	.29	.470	17	.91	.288	23
Q15_Corr	.47	.514	17	.91	.288	23
Q16_Corr	.35	.493	17	1.00	.000	23
Q17_Corr	.24	.437	17	.70	.470	23
Q18_Corr	.82	.393	17	.91	.288	23
Q19_Corr	.71	.470	17	.96	.209	23
Q20_Corr	.47	.514	17	.83	.388	23

Table 8  
*Item Statistics for Students for Grade 5 Form 14*

	23 <sup>rd</sup> Percentile or Below			78 <sup>th</sup> Percentile or Above		
	Mean	Std. Deviation	N	Mean	Std. Deviation	N
Q1_Corr	.91	.302	11	1.00	.000	13
Q2_Corr	.55	.522	11	1.00	.000	13
Q3_Corr	.82	.405	11	1.00	.000	13
Q4_Corr	.55	.522	11	1.00	.000	13
Q5_Corr	.91	.302	11	1.00	.000	13
Q6_Corr	.45	.522	11	1.00	.000	13
Q7_Corr	.27	.467	11	1.00	.000	13
Q8_Corr	.91	.302	11	1.00	.000	13
Q9_Corr	.55	.522	11	1.00	.000	13
Q10_Corr	.55	.522	11	1.00	.000	13
Q11_Corr	.27	.467	11	1.00	.000	13
Q12_Corr	.45	.522	11	1.00	.000	13
Q13_Corr	.36	.505	11	1.00	.000	13
Q14_Corr	.82	.405	11	1.00	.000	13
Q15_Corr	.45	.522	11	1.00	.000	13
Q16_Corr	.45	.522	11	1.00	.000	13
Q17_Corr	.27	.467	11	1.00	.000	13
Q18_Corr	.09	.302	11	1.00	.000	13
Q19_Corr	.55	.522	11	1.00	.000	13
Q20_Corr	.55	.522	11	1.00	.000	13



Table 9  
*Item Statistics for Students for Grade 5 Form 15*

	23 <sup>rd</sup> Percentile or Below			78 <sup>th</sup> Percentile or Above		
	Mean	Std. Deviation	N	Mean	Std. Deviation	N
Q1_Corr	.94	.236	18	.95	.224	20
Q2_Corr	1.00	.000	18	1.00	.000	20
Q3_Corr	.89	.323	18	1.00	.000	20
Q4_Corr	.94	.236	18	1.00	.000	20
Q5_Corr	.94	.236	18	1.00	.000	20
Q6_Corr	.78	.428	18	.95	.224	20
Q7_Corr	.56	.511	18	1.00	.000	20
Q8_Corr	1.00	.000	18	1.00	.000	20
Q9_Corr	.50	.514	18	.95	.224	20
Q10_Corr	.72	.461	18	.90	.308	20
Q11_Corr	.78	.428	18	.95	.224	20
Q12_Corr	.06	.236	18	.80	.410	20
Q13_Corr	.28	.461	18	.80	.410	20
Q14_Corr	.67	.485	18	.95	.224	20
Q15_Corr	.44	.511	18	.85	.366	20
Q16_Corr	.11	.323	18	.60	.503	20
Q17_Corr	.78	.428	18	1.00	.000	20
Q18_Corr	.89	.323	18	.95	.224	20
Q19_Corr	.61	.502	18	1.00	.000	20
Q20_Corr	.78	.428	18	1.00	.000	20

Table 10  
*Item Statistics for Students for Grade 5 Form 16*

	23 <sup>rd</sup> Percentile or Below			78 <sup>th</sup> Percentile or Above		
	Mean	Std. Deviation	N	Mean	Std. Deviation	N
Q1_Corr	.91	.302	11	1.00	.000	.15
Q2_Corr	.64	.505	11	1.00	.000	.15
Q3_Corr	.82	.405	11	1.00	.000	.15
Q4_Corr	.18	.405	11	.93	.258	15
Q5_Corr	.73	.467	11	1.00	.000	.15
Q6_Corr	.73	.467	11	1.00	.000	.15
Q7_Corr	.82	.405	11	1.00	.000	.15
Q8_Corr	.45	.522	11	1.00	.000	.15
Q9_Corr	.18	.405	11	.93	.258	15
Q10_Corr	.73	.467	11	1.00	.000	.15
Q11_Corr	.82	.405	11	1.00	.000	.15
Q12_Corr	.27	.467	11	.87	.352	15
Q13_Corr	.36	.505	11	.53	.516	15
Q14_Corr	.64	.505	11	.93	.258	15
Q15_Corr	.45	.522	11	1.00	.000	.15
Q16_Corr	.36	.505	11	.80	.414	15
Q17_Corr	.27	.467	11	.93	.258	15
Q18_Corr	.55	.522	11	.60	.507	15
Q19_Corr	.36	.505	11	.80	.414	15
Q20_Corr	.36	.505	11	.93	.258	15

## Appendix D

Table 1  
*Item Statistics, Entry Order, Grade 5 MCRC Form 8*

Item Number	Raw Score	Count	Measure	Model Standard Error	mean square outfit
1	45	54	-0.39	-0.98	0.52
2	44	54	-0.19	-0.24	0.83
3	39	54	0.58	-0.83	0.76
4	47	54	-0.89	-0.68	0.51
5	42	54	0.15	-0.75	0.71
6	33	54	1.27	0.73	1.13
7	34	54	1.16	2.17	1.47
8	49	54	-1.68	-0.01	0.69
9	42	54	0.15	-0.19	0.89
10	36	54	0.94	0.06	1.00
11	50	54	-2.43	1.07	2.11
12	47	54	-0.89	-0.39	0.64
13	24	54	2.15	2.95	1.53
14	45	54	-0.39	1.11	1.55
15	32	54	1.37	-0.25	0.95
16	48	54	-1.23	0.92	1.62
17	44	54	-0.19	-0.06	0.91
18	42	54	0.15	-1.52	0.51
19	49	54	-1.68	-0.44	0.40
20	25	54	2.06	-0.44	0.93

Table 2  
*Distractor Analysis, Grade 5 MCRC Form 8*

Entry #	Data Code	Score Value	Count	%	Average Measure	S.E. Mean
1	A	0	1	2	0.27	0.00
	B	0	1	2	0.81	0.00
	C	1	45	83	2.19	0.15
	Missing	**	7	13	-1.71	1.14
2	B	0	2	4	0.00	0.53
	C	0	4	7	1.46	0.50
	A	1	44	81	2.19	0.15
	Missing	**	4	7	-3.57	1.28
3	A	0	5	9	0.88	0.45
	B	0	6	11	1.34	0.33
	C	1	39	72	2.30	0.16
	Missing	**	4	7	-3.57	1.28
4	A	0	1	2	0.01	0.00
	C	0	1	2	-0.53	0.00
	B	1	47	87	2.15	0.14
	Missing	**	5	9	-2.5	1.46
5	C	0	2	4	1.81	0.39
	A	0	6	11	0.76	0.34
	B	1	42	78	2.24	0.15
	Missing	**	4	7	-3.57	1.28
6	A	0	8	15	1.54	0.17
	B	0	8	15	1.62	0.39
	C	1	33	61	2.24	0.20
	Missing	**	5	9	-2.31	1.60
7	B	0	6	11	1.12	0.43
	C	0	10	19	2.20	0.29
	A	1	34	63	2.16	0.18
	Missing	**	4	7	-3.57	1.28
8	B	0	0	0	0.00	0.00
	A	0	1	2	0.54	0.00
	C	1	49	91	2.05	0.16
	Missing	**	4	7	-3.28	1.57
9	A	0	4	7	1.09	0.56
	B	0	4	7	0.97	0.51
	C	1	42	78	2.21	0.16
	Missing	**	4	7	-3.28	1.57
10	A	0	1	2	0.27	0.00
	C	0	13	24	1.50	0.20
	B	1	36	67	2.25	0.19
	Missing	**	4	7	-3.28	1.57

Table 2  
*Distractor Analysis, Grade 5 MCRC Form 8 (Continued)*

Entry #	Data Code	Score Value	Count	%	Average Measure	S.E. Mean
11	C	0	0	0	0.00	0.00
	A	0	1	2	2.20	0.00
	B	1	50	93	2.00	0.16
	Missing	**	3	6	-4.85	0.00
12	B	0	2	4	1.02	0.76
	C	0	2	4	0.56	0.55
	A	1	47	87	2.11	0.15
	Missing	**	3	6	-4.85	0.00
13	B	0	13	24	1.67	0.27
	C	0	14	26	2.03	0.20
	A	1	24	44	2.18	0.27
	Missing	**	3	6	-4.85	0.00
14	C	0	2	4	0.84	1.36
	B	0	3	6	1.94	0.26
	A	1	45	83	2.05	0.16
	Missing	**	4	7	-2.95	1.89
15	A	0	9	17	1.27	0.31
	B	0	10	19	1.52	0.30
	C	1	32	59	2.37	0.18
	Missing	**	3	6	-4.85	0.00
16	A	0	0	0	0.00	0.00
	C	0	3	6	1.51	0.80
	B	1	48	89	2.04	0.16
	Missing	**	3	6	-4.85	0.00
17	C	0	0	0	0.00	0.00
	A	0	6	11	1.17	0.45
	B	1	44	81	2.15	0.16
	Missing	**	4	7	-3.43	1.41
18	B	0	2	4	-0.13	0.40
	C	0	6	11	0.73	0.33
	A	1	42	78	2.32	0.14
	Missing	**	4	7	-3.43	1.41
19	B	0	0	0	0.00	0.00
	A	0	1	2	0.01	0.00
	C	1	49	91	2.07	0.15
	Missing	**	4	7	-3.43	1.41
20	A	0	4	7	1.92	0.48
	B	0	21	39	1.45	0.19
	C	1	25	46	2.53	0.21
	Missing	**	4	7	-3.43	1.41

Table 3  
*Item Statistics, Entry Order, Grade 5 MCRC Form 9*

Item Number	Raw Score	Count	Measure	Model Standard Error	mean square outfit
1	49	52	-1.56	0.36	0.98
2	46	52	-0.59	-1.29	0.28
3	47	52	-0.86	0.74	1.43
4	43	52	0.05	-0.58	0.68
5	40	52	0.55	1.16	1.44
6	49	52	-1.56	0.63	1.31
7	45	52	-0.35	-0.66	0.56
8	45	52	-0.35	-0.79	0.51
9	49	52	-1.56	-0.83	0.16
10	43	52	0.05	-0.01	0.92
11	40	52	0.55	-0.94	0.66
12	12	52	4.11	3.94	6.75
13	41	52	0.40	0.57	1.19
14	48	52	-1.18	-1.08	0.18
15	30	52	1.80	1.00	1.24
16	38	52	0.84	0.56	1.15
17	48	52	-1.18	-0.47	0.43
18	49	52	-1.56	-0.28	0.42
19	43	52	0.05	-0.18	0.84
20	25	52	2.35	2.62	1.91

Table 4  
*Distractor Analysis, Grade 5 MCRC Form 9*

Entry #	Data Code	Score Value	Count	%	Average Measure	S.E. Mean
1	A	0	1	2	0.71	0.00
	C	0	2	4	1.20	0.18
	B	1	49	94	2.33	0.24
	Missing	**	0	0	0.00	0.00
2	A	0	1	2	-0.66	0.00
	C	0	5	10	-0.50	0.47
	B	1	46	88	2.62	0.20
	Missing	**	0	0	0.00	0.00
3	B	0	2	4	2.30	0.00
	C	0	3	6	-0.41	1.10
	A	1	47	90	2.42	0.23
	Missing	**	0	0	0.00	0.00
4	A	0	3	6	-0.26	0.86
	C	0	6	12	0.70	0.57
	B	1	43	83	2.65	0.22
	Missing	**	0	0	0.00	0.00
5	B	0	3	6	1.90	0.77
	A	0	9	17	1.07	0.58
	C	1	40	77	2.55	0.25
	Missing	**				
6	C	0	0	0	0.00	0.00
	A	0	3	6	0.50	1.11
	B	1	49	94	2.36	0.23
	Missing	**				
7	B	0	1	2	-0.66	0.00
	A	0	6	12	0.37	0.44
	C	1	45	87	2.57	0.23
	Missing	**				
8	B	0	2	4	0.90	0.48
	C	0	5	10	-0.40	0.61
	A	1	45	87	2.61	0.21
	Missing	**				
9	C	0	1	2	-0.39	0.00
	B	0	2	4	-1.51	0.00
	A	1	49	94	2.46	0.21
	Missing	**				
10	B	0	2	4	-0.82	0.69
	A	0	7	13	1.23	0.34
	C	1	43	83	2.56	0.24
	Missing	**				

Table 4  
*Distractor Analysis, Grade 5 MCRC Form 9 (Continued)*

Entry #	Data Code	Score Value	Count	%	Average Measure	S.E. Mean
11	C	0	5	10	-0.09	0.51
	B	0	7	13	0.95	0.49
	A	1	40	77	2.78	0.22
	Missing	**				
12	A	0	10	19	1.41	0.30
	C	1	12	23	3.63	0.64
	B	0	30	58	1.99	0.23
	Missing	**				
13	B	0	3	6	0.71	1.70
	A	0	7	13	0.12	0.35
	C	1	41	79	2.75	0.21
	Missing	**	1	2	1.38	0.00
14	B	0	2	4	-0.39	0.26
	C	0	2	4	-1.51	0.00
	A	1	48	92	2.52	0.21
	Missing	**				
15	B	0	2	4	0.70	1.09
	A	0	19	37	1.70	0.31
	C	1	30	58	2.81	0.30
	Missing	**	1	2	-0.66	0.00
16	C	0	6	12	1.21	0.28
	A	0	8	15	1.11	0.51
	B	1	38	73	2.66	0.27
	Missing	**				
17	B	0	2	4	-1.51	0.00
	C	0	2	4	0.62	0.75
	A	1	48	92	2.48	0.22
	Missing	**				
18	A	0	1	2	-1.51	0.00
	B	0	2	4	0.18	0.84
	C	1	49	94	2.42	0.22
	Missing	**				
19	C	0	1	2	2.30	0.00
	B	0	8	15	0.42	0.39
	A	1	43	83	2.59	0.24
	Missing	**				
20	A	0	13	25	1.56	0.40
	C	0	13	25	1.38	0.29
	B	1	25	48	3.07	0.34
	Missing	**	1	2	2.30	0.00



Table 5  
*Item Statistics, Entry Order, Grade 5 MCRC Form 10*

Item Number	Raw Score	Count	Measure	Model Standard Error	mean square outfit
1	46	52	-0.62	-0.30	0.73
2	48	52	-1.13	0.21	0.96
3	48	52	-1.13	0.82	1.50
4	29	52	1.53	-0.44	0.91
5	44	52	-0.24	-0.58	0.68
6	26	52	1.82	1.19	1.21
7	51	52	-2.68	0.40	0.91
8	49	52	-1.47	-0.23	0.57
9	43	52	-0.08	-0.20	0.85
10	47	52	-0.86	-0.74	0.48
11	37	52	0.71	0.42	1.09
12	29	52	1.53	1.91	1.37
13	27	52	1.72	-0.42	0.92
14	50	52	-1.93	-0.74	0.18
15	43	52	-0.08	-0.97	0.59
16	31	52	1.34	-0.08	0.97
17	47	52	-0.86	-0.21	0.73
18	12	52	3.28	1.54	1.59
19	46	52	-0.62	-1.17	0.39
20	44	52	-0.24	-1.24	0.47

Table 6  
*Distractor Analysis, Grade 5 MCRC Form 10*

Entry #	Data Code	Score Value	Count	%	Average Measure	S.E. Mean
1	C	0	0	0	0.00	0.00
	B	0	5	10	0.74	0.32
	A	1	46	88	1.94	0.16
	Missing	**	1	2	1.51	0.00
2	A	0	1	2	1.91	0.00
	C	0	3	6	0.59	0.75
	B	1	48	92	1.89	0.15
	Missing	**				
3	B	0	0	0	0.00	0.00
	A	0	4	8	1.58	0.39
	C	1	48	92	1.83	0.16
	Missing	**				
4	B	0	5	10	0.59	0.52
	C	0	17	33	1.44	0.13
	A	1	29	56	2.28	0.20
	Missing	**	1	2	0.83	0.00
5	C	0	1	2	1.91	0.00
	A	0	7	13	0.44	0.35
	B	1	44	85	2.03	0.15
	Missing	**				
6	B	0	8	15	1.37	0.39
	A	0	18	35	1.59	0.23
	C	1	26	50	2.11	0.22
	Missing	**				
7	A	0	0	0	0.00	0.00
	C	0	1	2	1.16	0.00
	B	1	51	98	1.83	0.15
	Missing	**				
8	C	0	1	2	1.16	0.00
	A	0	2	4	0.24	0.58
	B	1	49	94	1.89	0.15
	Missing	**				
9	A	0	4	8	0.26	0.49
	B	0	5	10	1.48	0.26
	C	1	43	83	2.00	0.16
	Missing	**				
10	C	0	0	0	0.00	0.00
	A	0	4	8	0.33	0.39
	B	1	47	90	1.97	0.15
	Missing	**	1	2	0.52	0.00

Table 6  
*Distractor Analysis, Grade 5 MCRC Form 10 (Continued)*

Entry #	Data Code	Score Value	Count	%	Average Measure	S.E. Mean
11	C	0	2	4	0.41	0.75
	B	0	13	25	1.38	0.32
	A	1	37	71	2.05	0.16
	Missing	**				
12	B	0	9	17	2.17	0.33
	A	0	14	27	1.05	0.31
	C	1	29	56	2.07	0.17
	Missing	**				
13	B	0	6	12	1.16	0.55
	C	0	18	35	1.40	0.22
	A	1	27	52	2.27	0.19
	Missing	**	1	2	0.83	0.00
14	B	0	0	0	0.00	0.00
	C	0	2	4	-0.62	0.28
	A	1	50	96	1.91	0.14
	Missing	**				
15	C	0	3	6	0.86	0.37
	A	0	6	12	0.42	0.40
	B	1	43	83	2.08	0.15
	Missing	**				
16	B	0	1	2	-0.34	0.00
	C	0	20	38	1.39	0.20
	A	1	31	60	2.16	0.19
	Missing	**				
17	A	0	2	4	0.41	0.75
	C	0	2	4	1.33	0.18
	B	1	47	90	1.92	0.16
	Missing	**	1	2	0.83	0.00
18	B	0	12	23	1.25	0.34
	C	1	12	23	2.14	0.34
	A	0	27	52	1.96	0.19
	Missing	**	1	2	0.83	0.00
19	C	0	0	0	0.00	0.00
	B	0	5	10	0.06	0.17
	A	1	46	88	2.03	0.14
	Missing	**	1	2	0.83	0.00
20	C	0	2	4	0.12	1.03
	B	0	5	10	0.36	0.24
	A	1	44	85	2.08	0.14
	Missing	**	1	2	0.83	0.00

Table 7  
*Item Statistics, Entry Order, Grade 5 MCRC Form 11*

Item Number	Raw Score	Count	Measure	Model Standard Error	mean square outfit
1	54	77	1.64	2.35	1.43
2	76	77	-2.50	0.45	0.98
3	63	77	0.82	0.94	1.25
4	70	77	-0.16	-0.14	0.86
5	76	77	-2.50	-0.65	0.10
6	65	77	0.59	-0.35	0.87
7	73	77	-0.89	-1.39	0.23
8	69	77	0.02	-0.20	0.86
9	70	77	-0.16	0.31	1.07
10	55	77	1.56	0.97	1.17
11	71	77	-0.37	0.10	0.96
12	66	77	0.47	-0.40	0.84
13	66	77	0.47	0.49	1.13
14	68	77	0.18	-0.13	0.90
15	69	77	0.02	-1.16	0.54
16	69	77	0.02	-0.72	0.67
17	70	77	-0.16	0.02	0.93
18	73	77	-0.89	-1.21	0.29
19	61	77	1.03	0.90	1.21
20	63	77	0.82	0.51	1.12

Table 8  
*Distractor Analysis, Grade 5 MCRC Form 11*

Entry #	Data Code	Score Value	Count	%	Average Measure	S.E. Mean
1	C	0	9	12	2.28	0.24
	A	0	11	14	2.10	0.36
	B	1	54	70	2.83	0.17
	Missing	**	3	4	2.36	0.51
2	A	0	0	0	0.00	0.00
	C	0	1	1	1.67	0.00
	B	1	76	99	2.65	0.14
3	Missing	**	1	1	-0.98	0.00
	C	0	1	1	-0.98	0.00
	B	0	12	16	2.14	0.33
	A	1	63	82	2.85	0.12
4	Missing	**	1	1	-0.70	0.00
	B	0	1	1	-0.98	0.00
	A	0	5	6	2.04	0.24
	C	1	70	91	2.78	0.13
5	Missing	**	1	1	-0.70	0.00
	B	0	0	0	0.00	0.00
	C	0	1	1	-0.70	0.00
	A	1	76	99	2.68	0.13
6	Missing	**	1	1	1.05	0.00
	C	0	1	1	1.05	0.00
	B	0	11	14	1.56	0.38
	A	1	65	84	2.85	0.13
7	Missing	**	1	1	-0.98	0.00
	A	0	1	1	-0.98	0.00
	B	0	2	3	0.32	1.02
	C	1	73	95	2.80	0.11
8	Missing	**	1	1	-0.44	0.00
	A	0	3	4	1.72	0.33
	C	0	4	5	1.45	0.84
	B	1	69	90	2.79	0.13
9	Missing	**	1	1	-0.44	0.00
	B	0	3	4	1.08	1.06
	C	0	4	5	1.34	0.84
	A	1	70	91	2.78	0.12
10	Missing	**	1	1	-0.44	0.00
	C	0	2	3	1.34	0.00
	B	0	19	25	2.12	0.23
	A	1	55	71	2.92	0.15

Table 8  
*Distractor Analysis, Grade 5 MCRC Form 11 (Continued)*

Entry #	Data Code	Score Value	Count	%	Average Measure	S.E. Mean
11	A	0	1	1	-0.70	0.00
	B	0	5	6	2.00	0.16
	C	1	71	92	2.73	0.13
	Missing	**				
12	A	0	4	5	1.6	0.17
	C	0	5	6	1.55	0.70
	B	1	66	86	2.86	0.13
	Missing	**	2	3	0.31	0.75
13	C	0	0	0	0.00	0.00
	A	0	9	12	2.08	0.23
	B	1	66	86	2.78	0.14
	Missing	**	2	3	0.62	1.05
14	A	0	2	3	-0.71	0.27
	B	0	7	9	1.63	0.49
	C	1	68	88	2.84	0.12
	Missing	**				
15	B	0	3	4	1.46	0.20
	C	0	4	5	0.61	0.84
	A	1	69	90	2.85	0.12
	Missing	**	1	1	-0.44	0.00
16	B	0	2	3	1.86	0.19
	A	0	5	6	1.07	0.58
	C	1	69	90	2.82	0.12
	Missing	**	1	1	-0.44	0.00
17	A	0	3	4	2.39	0.17
	B	0	3	4	-0.01	0.84
	C	1	70	91	2.77	0.13
	Missing	**	1	1	2.05	0.00
18	A	0	0	0	0.00	0.00
	C	0	3	4	-0.01	0.84
	B	1	73	95	2.79	0.11
	Missing	**	1	1	-0.44	0.00
19	A	0	1	1	1.34	0.00
	B	0	13	17	2.36	0.16
	C	1	61	79	2.83	0.14
	Missing	**	2	3	-0.57	0.13
20	A	0	4	5	1.75	0.34
	C	0	4	5	1.50	0.83
	B	1	63	82	2.85	0.14
	Missing	**	6	8	1.84	0.54

Table 9  
*Item Statistics, Entry Order, Grade 5 MCRC Form 12*

Item Number	Raw Score	Count	Measure	Model Standard Error	mean square outfit
1	81	82	-2.77	-0.40	0.23
2	82	82	0.00	0.00	1.00
3	80	82	-2.04	0.11	0.76
4	80	82	-2.04	-0.65	0.27
5	80	82	-2.04	0.55	1.23
6	61	82	0.91	0.64	1.13
7	78	82	-1.28	-0.30	0.62
8	73	82	-0.31	0.57	1.21
9	52	82	1.55	1.07	1.17
10	63	82	0.74	-0.68	0.82
11	73	82	-0.31	-0.34	0.79
12	68	82	0.28	-0.29	0.87
13	72	82	-0.18	-0.90	0.62
14	71	82	-0.05	0.82	1.30
15	75	82	-0.63	-1.41	0.35
16	65	82	0.57	-1.03	0.72
17	74	82	-0.46	-0.87	0.56
18	18	82	3.83	3.71	2.59
19	51	82	1.61	0.33	1.04
20	35	82	2.61	-0.40	0.93

Table 10  
*Distractor Analysis, Grade 5 MCRC Form 12*

Entry #	Data Code	Score Value	Count	%	Average Measure	S.E. Mean
1	C	0	0	0	0.00	0.00
	A	0	1	1	0.10	0.00
	B	1	81	99	2.26	0.13
	Missing	**				
2	B	0	0	0	0.00	0.00
	C	0	0	0	0.00	0.00
	A	1	82	100	2.24	0.13
	Missing	**				
3	A	0	1	1	1.89	0.00
	B	0	1	1	0.10	0.00
	C	1	80	98	2.27	0.13
	Missing	**				
4	C	0	0	0	0.00	0.00
	B	0	2	2	0.25	0.16
	A	1	80	98	2.29	0.13
	Missing	**				
5	B	0	0	0	0.00	0.00
	A	0	2	2	1.40	1.00
	C	1	80	98	2.26	0.13
	Missing	**				
6	C	0	1	1	1.46	0
	A	0	19	23	1.69	0.25
	B	1	61	74	2.45	0.14
	Missing	**	1	1	0.73	0
7	C	0	0	0	0.00	0.00
	A	0	3	4	1.02	0.52
	B	1	78	95	2.30	0.13
	Missing	**	1	1	0.73	0.00
8	A	0	1	1	1.46	0.00
	B	0	7	9	1.51	0.43
	C	1	73	89	2.32	0.14
	Missing	**				
9	C	0	2	2	1.67	0.21
	B	0	28	34	1.80	0.16
	A	1	52	63	2.49	0.17
	Missing	**				
10	C	0	7	9	1.24	0.25
	A	0	12	15	1.37	0.26
	B	1	63	77	2.52	0.14
	Missing	**				



Table 10  
*Distractor Analysis, Grade 5 MCRC Form 12 (Continued)*

Entry #	Data Code	Score Value	Count	%	Average Measure	S.E. Mean
11	A	0	1	1	0.41	0.00
	B	0	8	10	1.29	0.29
	C	1	73	89	2.37	0.13
	Missing	**				
12	C	0	3	4	1.64	0.77
	B	0	6	7	0.98	0.36
	A	1	68	83	2.48	0.12
	Missing	**	5	6	0.82	0.58
13	B	0	4	5	1.01	0.58
	C	0	4	5	1.1	0.25
	A	1	72	88	2.42	0.13
	Missing	**	2	2	0.26	0.47
14	B	0	1	1	-0.21	0.00
	A	0	9	11	1.68	0.42
	C	1	71	87	2.38	0.13
	Missing	**	1	1	-0.21	0.00
15	A	0	0	0	0.00	0.00
	C	0	3	4	0.53	0.39
	B	1	75	91	2.41	0.12
	Missing	**	4	5	0.34	0.24
16	C	0	2	2	1.93	0.47
	B	0	10	12	1.22	0.30
	A	1	65	79	2.54	0.13
	Missing	**	5	6	0.42	0.20
17	C	0	0	0	0.00	0.00
	A	0	3	4	1.09	0.75
	B	1	74	90	2.40	0.12
	Missing	**	5	6	0.49	0.24
18	A	1	18	22	2.49	0.38
	C	0	21	26	2.48	0.21
	B	0	38	46	2.20	0.14
	Missing	**	5	6	0.65	0.36
19	A	0	3	4	1.08	0.69
	C	0	23	28	1.94	0.21
	B	1	51	62	2.62	0.15
	Missing	**	5	6	0.42	0.20
20	B	0	0	0	0.00	0.00
	C	1	35	43	2.89	0.18
	A	0	41	50	1.83	0.14
	Missing	**	6	7	1.25	0.59

Table 11  
*Item Statistics, Entry Order, Grade 5 MCRC Form 13*

Item Number	Raw Score	Count	Measure	Model Standard Error	mean square outfit
1	74	83	-0.85	0.20	1.02
2	76	83	-1.16	1.72	2.09
3	45	83	1.51	3.21	1.47
4	65	83	0.11	-1.16	0.71
5	57	83	0.73	-0.70	0.87
6	66	83	0.03	-1.11	0.70
7	80	83	-2.13	-0.85	0.28
8	80	83	-2.13	0.01	0.76
9	68	83	-0.16	-0.01	0.97
10	58	83	0.66	0.41	1.07
11	72	83	-0.59	0.43	1.12
12	70	83	-0.36	-0.63	0.76
13	51	83	1.13	-0.36	0.94
14	53	83	1.00	-0.23	0.96
15	63	83	0.28	-0.36	0.90
16	62	83	0.36	-1.41	0.70
17	32	83	2.33	1.69	1.31
18	76	83	-1.16	1.03	1.53
19	68	83	-0.16	0.16	1.02
20	59	83	0.58	1.59	1.33

Table 12  
*Distractor Analysis, Grade 5 MCRC Form 13*

Entry #	Data Code	Score Value	Count	%	Average Measure	S.E. Mean
1	C	0	1	1	1.70	0.00
	B	0	8	10	0.90	0.24
	A	1	74	89	1.83	0.14
	Missing	**				
2	B	0	2	2	1.61	1.84
	A	0	4	5	0.80	0.51
	C	1	76	92	1.80	0.14
	Missing	**	1	1	1.36	0.00
3	C	0	8	10	1.00	0.32
	A	0	30	36	1.61	0.16
	B	1	45	54	1.95	0.21
	Missing	**				
4	A	0	3	4	0.88	0.63
	C	0	15	18	0.49	0.22
	B	1	65	78	2.06	0.13
	Missing	**				
5	B	0	11	13	0.69	0.21
	A	0	15	18	1.00	0.26
	C	1	57	69	2.13	0.15
	Missing	**				
6	B	0	4	5	0.47	0.27
	C	0	13	16	0.58	0.26
	A	1	66	80	2.04	0.14
	Missing	**				
7	B	0	1	1	-0.76	0.00
	C	0	2	2	-0.11	0.13
	A	1	80	96	1.81	0.13
	Missing	**				
8	A	0	1	1	1.06	0.00
	C	0	2	2	0.65	0.13
	B	1	80	96	1.77	0.14
	Missing	**				
9	C	0	1	1	1.06	0
	A	0	13	16	0.78	0.31
	B	1	68	82	1.95	0.14
	Missing	**	1	1	0.52	0
10	B	0	2	2	0.27	0.51
	A	0	22	27	1.13	0.19
	C	1	58	70	2.06	0.15
	Missing	**	1	1	-0.76	0.00

Table 12  
*Distractor Analysis, Grade 5 MCRC Form 13 (Continued)*

Entry #	Data Code	Score Value	Count	%	Average Measure	S.E. Mean
11	B	0	3	4	0.62	0.83
	C	0	7	8	0.97	0.46
	A	1	72	87	1.89	0.13
	Missing	**	1	1	-0.76	0.00
12	C	0	3	4	0.49	0.71
	A	0	9	11	0.80	0.27
	B	1	70	84	1.95	0.14
	Missing	**	1	1	-0.76	0.00
13	B	0	8	10	0.65	0.33
	A	0	23	28	1.23	0.18
	C	1	51	61	2.18	0.16
	Missing	**	1	1	-0.76	0.00
14	C	0	12	14	0.67	0.29
	B	0	16	19	1.28	0.24
	A	1	53	64	2.18	0.15
	Missing	**	2	2	0.15	0.91
15	A	0	4	5	0.79	0.16
	B	0	15	18	0.89	0.27
	C	1	63	76	2.04	0.14
	Missing	**	1	1	-0.76	0.00
16	A	0	10	12	1.02	0.21
	B	0	10	12	0.43	0.22
	C	1	62	75	2.10	0.14
	Missing	**	1	1	-0.76	0.00
17	B	0	15	18	0.70	0.14
	A	1	32	39	2.37	0.24
	C	0	34	41	1.67	0.14
	Missing	**	2	2	0.47	1.23
18	A	0	3	4	0.63	1.03
	C	0	3	4	1.59	0.55
	B	1	76	92	1.82	0.13
	Missing	**	1	1	-0.76	0.00
19	C	0	5	6	0.90	0.47
	B	0	9	11	0.99	0.34
	A	1	68	82	1.93	0.14
	Missing	**	1	1	-0.76	0.00
20	C	0	8	10	0.77	0.29
	A	0	13	16	1.48	0.34
	B	1	59	71	2.00	0.15
	Missing	**	3	4	0.29	0.61

Table 13  
*Item Statistics, Entry Order, Grade 5 MCRC Form 14*

Item Number	Raw Score	Count	Measure	Model Standard Error	mean square outfit
1	53	55	-2.16	-0.48	0.17
2	42	55	0.57	0.04	0.98
3	52	55	-1.66	0.62	1.30
4	47	55	-0.28	0.91	1.44
5	54	55	-2.95	-0.68	0.09
6	43	55	0.42	0.80	1.26
7	34	55	1.65	1.22	1.31
8	52	55	-1.66	0.26	0.89
9	46	55	-0.08	-0.14	0.87
10	43	55	0.42	0.19	1.03
11	36	55	1.40	-0.61	0.84
12	47	55	-0.28	-0.70	0.61
13	40	55	0.86	-0.90	0.74
14	51	55	-1.28	-0.73	0.33
15	39	55	1.00	0.20	1.03
16	45	55	0.09	0.73	1.27
17	41	55	0.72	-0.34	0.87
18	32	55	1.91	0.58	1.13
19	41	55	0.72	-0.10	0.94
20	42	55	0.57	-0.32	0.87

Table 14  
*Distractor Analysis, Grade 5 MCRC Form 14*

Entry #	Data Code	Score Value	Count	%	Average Measure	S.E. Mean
1	C	0	0	0	0.00	0.00
	B	0	2	4	-1.28	0.53
	A	1	53	96	2.49	0.23
	Missing	**				
2	C	0	3	5	0.24	1.15
	A	0	10	18	0.93	0.31
	B	1	42	76	2.84	0.25
	Missing	**				
3	B	0	1	2	-0.18	0.00
	C	0	2	4	0.19	2.00
	A	1	52	95	2.48	0.23
	Missing	**				
4	C	0	0	0	0.00	0.00
	B	0	8	15	1.01	0.37
	A	1	47	85	2.58	0.26
	Missing	**				
5	A	0	0	0	0.00	0.00
	B	0	1	2	-1.80	0.00
	C	1	54	98	2.43	0.23
	Missing	**				
6	C	0	3	5	0.63	0.47
	A	0	9	16	1.01	0.37
	B	1	43	78	2.75	0.26
	Missing	**				
7	A	0	2	4	-0.17	1.63
	B	0	19	35	1.31	0.32
	C	1	34	62	3.08	0.26
	Missing	**				
8	B	0	1	2	-0.75	0
	C	0	2	4	-0.01	1.8
	A	1	52	95	2.5	0.23
	Missing	**	0	0	0	0
9	A	0	4	7	0.34	0.40
	B	0	4	7	0.38	0.50
	C	1	46	84	2.71	0.25
	Missing	**	1	2	1.79	0.00
10	C	0	4	7	0.68	0.69
	A	0	6	11	0.32	0.32
	B	1	43	78	2.82	0.25
	Missing	**	2	4	1.79	0.00

Table 14  
*Distractor Analysis, Grade 5 MCRC Form 14 (Continued)*

Entry #	Data Code	Score Value	Count	%	Average Measure	S.E. Mean
11	C	0	0	0	0.00	0.00
	A	0	17	31	0.87	0.29
	B	1	36	65	3.16	0.24
	Missing	**	2	4	0.52	1.27
12	B	0	1	2	0.35	0.00
	A	0	5	9	-0.14	0.51
	C	1	47	85	2.74	0.23
	Missing	**	2	4	0.52	1.27
13	B	0	5	9	0.96	0.49
	A	0	8	15	0.60	0.47
	C	1	40	73	3.02	0.23
	Missing	**	2	4	-0.47	0.28
14	C	0	0	0	0.00	0.00
	B	0	3	5	-0.63	0.59
	A	1	51	93	2.58	0.23
	Missing	**	1	2	-0.18	0.00
15	C	0	4	7	-0.66	0.42
	B	0	11	20	1.42	0.32
	A	1	39	71	2.99	0.24
	Missing	**	1	2	-0.18	0
16	C	0	2	4	-0.20	0.55
	A	0	7	13	0.74	0.63
	B	1	45	82	2.77	0.23
	Missing	**	1	2	-0.18	0.00
17	C	0	4	7	-0.11	0.67
	B	0	9	16	1.00	0.34
	A	1	41	75	2.95	0.24
	Missing	**	1	2	-0.18	0.00
18	B	0	9	16	1.1	0.24
	A	0	12	22	1.02	0.46
	C	1	32	58	3.3	0.26
	Missing	**	2	4	0.81	0.99
19	C	0	4	7	-0.46	0.52
	A	0	8	15	1.25	0.41
	B	1	41	75	2.92	0.24
	Missing	**	2	4	0.81	0.99
20	A	0	5	9	1.51	0.28
	B	0	6	11	-0.10	0.50
	C	1	42	76	2.88	0.24
	Missing	**	2	4	0.81	0.99

Table 15  
*Item Statistics, Entry Order, Grade 5 MCRC Form 15*

Item Number	Raw Score	Count	Measure	Model Standard Error	mean square outfit
1	54	57	-1.48	1.27	2.31
2	57	57	0.00	0.00	1.00
3	51	57	-0.60	-0.17	0.76
4	54	57	-1.48	1.16	2.12
5	56	57	-2.72	-0.64	0.11
6	52	57	-0.84	1.68	2.50
7	43	57	0.69	-0.56	0.80
8	56	57	-2.72	-0.31	0.25
9	41	57	0.93	0.62	1.16
10	46	57	0.29	1.22	1.51
11	49	57	-0.20	0.45	1.15
12	22	57	2.84	1.40	1.40
13	36	57	1.47	0.24	1.04
14	46	57	0.29	0.15	1.01
15	35	57	1.57	0.33	1.05
16	19	57	3.16	0.65	1.19
17	51	57	-0.60	-0.85	0.45
18	52	57	-0.84	0.69	1.37
19	45	57	0.43	-0.88	0.67
20	49	57	-0.20	-1.68	0.30



Table 16  
*Distractor Analysis, Grade 5 MCRC Form 15*

Entry #	Data Code	Score Value	Count	%	Average Measure	S.E. Mean
1	C	0	0	0	0.00	0.00
	A	0	3	5	1.75	0.74
	B	1	54	95	2.22	0.19
	Missing	**				
2	B	0	0	0	0.00	0.00
	C	0	0	0	0.00	0.00
	A	1	57	100	2.19	0.19
	Missing	**				
3	A	0	2	4	0.43	0.31
	B	0	3	5	1.10	0.84
	C	1	51	89	2.38	0.19
	Missing	**	1	2	-0.48	0.00
4	B	0	0	0	0.00	0.00
	C	0	3	5	2.05	0.30
	A	1	54	95	2.20	0.20
	Missing	**				
5	A	0	0	0	0.00	0.00
	B	0	1	2	-1.12	0.00
	C	1	56	98	2.25	0.18
	Missing	**				
6	A	0	1	2	3.9	0.00
	C	0	4	7	0.07	0.56
	B	1	52	91	2.32	0.18
	Missing	**				
7	B	0	3	5	1.75	0.30
	C	0	9	16	0.93	0.43
	A	1	43	75	2.58	0.19
	Missing	**	2	4	0.12	0.30
8	C	0	0	0	0.00	0.00
	A	0	1	2	-0.18	0.00
	B	1	56	98	2.24	0.18
	Missing	**				
9	B	0	5	9	0.39	0.34
	A	0	11	19	1.60	0.39
	C	1	41	72	2.57	0.20
	Missing	**				
10	A	0	5	9	1.26	0.60
	B	0	5	9	1.14	0.76
	C	1	46	81	2.47	0.19
	Missing	**	1	2	-0.48	0.00

Table 16  
*Distractor Analysis, Grade 5 MCRC Form 15 (Continued)*

Entry #	Data Code	Score Value	Count	%	Average Measure	S.E. Mean
11	C	0	1	2	1.44	0.00
	A	0	6	11	1.15	0.63
	B	1	49	86	2.39	0.19
	Missing	**	1	2	-0.48	0.00
12	C	0	10	18	1.38	0.36
	A	1	22	39	3.12	0.31
	B	0	25	44	1.70	0.19
	Missing	**				
13	C	0	2	4	-0.19	0.93
	A	0	19	33	1.41	0.28
	B	1	36	63	2.74	0.20
	Missing	**				
14	B	0	2	4	0.13	0.61
	C	0	9	16	1.40	0.27
	A	1	46	81	2.44	0.21
	Missing	**				
15	A	0	1	2	-0.48	0.00
	B	0	21	37	1.45	0.27
	C	1	35	61	2.71	0.21
	Missing	**				
16	B	0	5	9	-0.19	0.34
	A	1	19	33	3.14	0.32
	C	0	33	58	2.01	0.16
	Missing	**				
17	A	0	2	4	-0.35	0.77
	C	0	4	7	0.53	0.40
	B	1	51	89	2.42	0.18
	Missing	**				
18	A	0	1	2	-1.12	0.00
	C	0	2	4	2.21	0.77
	B	1	52	91	2.31	0.19
	Missing	**	2	4	0.78	0.66
19	B	0	4	7	-0.57	0.20
	C	0	7	12	1.50	0.25
	A	1	45	79	2.59	0.18
	Missing	**	1	2	0.12	0.00
20	A	0	2	4	0.74	0.00
	B	0	5	9	-0.37	0.25
	C	1	49	86	2.56	0.16
	Missing	**	1	2	0.12	0.00

Table 17  
*Item Statistics, Entry Order, Grade 5 MCRC Form 16*

Item Number	Raw Score	Count	Measure	Model Standard Error	mean square outfit
1	55	56	-3.50	0.17	0.63
2	49	56	-0.95	0.04	0.90
3	52	56	-1.77	-0.79	0.26
4	33	56	1.21	-0.95	0.77
5	48	56	-0.74	-0.25	0.77
6	47	56	-0.55	-1.12	0.47
7	50	56	-1.18	0.39	1.11
8	46	56	-0.38	-1.03	0.54
9	37	56	0.79	-1.06	0.73
10	48	56	-0.74	-0.53	0.64
11	50	56	-1.18	0.79	1.45
12	37	56	0.79	-0.33	0.90
13	21	56	2.35	0.85	1.27
14	46	56	-0.38	0.57	1.21
15	46	56	-0.38	-0.86	0.59
16	32	56	1.30	0.54	1.11
17	40	56	0.45	-0.41	0.85
18	22	56	2.25	1.85	1.66
19	35	56	1.00	1.22	1.31
20	29	56	1.59	-0.23	0.93

Table 18  
*Distractor Analysis, Grade 5 MCRC Form 16*

Entry #	Data Code	Score Value	Count	%	Average Measure	S.E. Mean
1	t	0	0	0	0.00	0.00
	C	0	1	2	0.02	0.00
	B	1	55	98	1.63	0.18
	Missing	**				
2	A	0	3	5	-0.37	1.38
	C	0	4	7	0.23	0.29
	B	1	49	88	1.83	0.17
	Missing	**				
3	B	0	2	4	-0.39	0.14
	C	0	2	4	-1.71	0.58
	A	1	52	93	1.80	0.16
	Missing	**				
4	C	0	2	4	-0.12	0.42
	B	0	21	38	0.72	0.31
	A	1	33	59	2.26	0.15
	Missing	**				
5	C	0	3	5	-0.93	0.70
	A	0	4	7	1.12	0.29
	B	1	48	86	1.85	0.17
	Missing	**	1	2	-1.13	0.00
6	B	0	2	4	0.32	0.85
	A	0	7	13	-0.63	0.52
	C	1	47	84	1.98	0.14
	Missing	**				
7	A	0	3	5	-0.45	0.41
	C	0	3	5	0.51	1.42
	B	1	50	89	1.79	0.17
	Missing	**				
8	C	0	2	4	-0.56	1.73
	B	0	8	14	-0.08	0.40
	A	1	46	82	1.98	0.15
	Missing	**				
9	B	0	3	5	-0.07	0.24
	A	0	16	29	0.52	0.37
	C	1	37	66	2.20	0.15
	Missing	**				
10	C	0	3	5	-0.85	0.92
	B	0	5	9	0.26	0.68
	A	1	48	86	1.89	0.16
	Missing	**				

Table 18  
*Distractor Analysis, Grade 5 MCRC Form 16 (Continued)*

Entry #	Data Code	Score Value	Count	%	Average Measure	S.E. Mean
11	A	0	1	2	0.30	0.00
	B	0	3	5	1.73	0.57
	C	1	50	89	1.77	0.17
	Missing	**	2	4	-2.29	0.00
12	A	0	2	4	-0.27	0.85
	B	0	15	27	1.03	0.30
	C	1	37	66	2.14	0.15
	Missing	**	2	4	-2.29	0.00
13	A	0	2	4	1.16	1.14
	B	1	21	38	2.12	0.22
	C	0	31	55	1.52	0.21
	Missing	**	2	4	-2.29	0.00
14	B	0	0	0	0.00	0.00
	A	0	8	14	0.93	0.46
	C	1	46	82	1.88	0.16
	Missing	**	2	4	-2.29	0.00
15	A	0	2	4	0.45	0.42
	C	0	6	11	0.16	0.48
	B	1	46	82	2.00	0.14
	Missing	**	2	4	-2.29	0.00
16	B	0	5	9	0.78	0.70
	C	0	17	30	1.29	0.26
	A	1	32	57	2.13	0.17
	Missing	**	2	4	-2.29	0.00
17	A	0	4	7	1.23	0.80
	B	0	10	18	0.58	0.23
	C	1	40	71	2.08	0.16
	Missing	**	2	4	-2.29	0.00
18	C	0	15	27	1.50	0.36
	B	0	16	29	1.74	0.18
	A	1	22	39	1.90	0.27
	Missing	**	3	5	-0.9	1.39
19	A	0	9	16	1.45	0.39
	C	0	9	16	1.19	0.32
	B	1	35	63	1.95	0.20
	Missing	**	3	5	-0.9	1.39
20	C	0	8	14	1.36	0.47
	A	0	16	29	0.96	0.18
	B	1	29	52	2.27	0.20
	Missing	**	3	5	-0.90	1.39